



Print Patient Name (Required)

DOB

Height (cm):
Weight (kg):
BSA (m2):
Allergies:

Place Patient Barcode Here

Abatacept (Orencia) Infusion

Admit to: Diagnosis: Infusion Date:
Port Broviac PICC Peripheral
Normal Saline/Heparin flush per protocol
Topical anesthetic per protocol
Premedication
Acetaminophen = mg PO (max dose 1000mg)
Diphenhydramine = mg IV or PO (max dose 50mg)
Other:

Abatacept mg IV in NS once over 30 minutes

Nursing Orders

Weigh patient prior to infusion.
Monitor Vital signs at the beginning and the end of the infusion.
Obtain the following labs with IV or central line access prior to the start of infusion:
CBC CMP BMP CRP ALT AST UA Other:
Call lab results prior to starting infusion
Fax all lab results to ordering provider
Discharge once infusion completed Discharge 30 minutes post infusion

PRN medications:

- Diphenhydramine (1mg/kg) = mg PO or IV once prn itching
Ibuprofen (10mg/kg) = mg PO once prn mild pain/temp >100.4 (call for fever prior to administering)
Acetaminophen (15mg/kg) = mg PO once prn mild pain/temp >100.4 (call for fever prior to administering)
Ondansetron (0.15mg/kg) = mg PO or IV PRN for nausea/vomiting

Orders good until this date: Infusion Frequency:

Provider's Signature: Date: Time:

Printed Name:

